

BEATTIE INSULATORS

Product Range

Wooden Post Insulators



No18 Permanent

- For Wooden Posts with Nylon Insert
- Designed for high strain
 - For permanent fencing
 - Unbeatable strength & proven to withstand pressure of centre pivot irrigation fences



LDPE



No19 Claw

- For Wooden Posts
- Medium Strain
 - Durable with a long life expectancy
 - Easy & convenient to use



LDPE



No17 Ultimate Pinlock

- For Wooden Posts with Nylon Pin
- Very strong Flexible Pinlock
 - High strength nylon pin
 - White pin for high visibility
 - Can be nailed, stapled or both



NEW!

LDPE

These insulators are specifically designed to enable the use of proven low density polyethelene and are able to be nailed, stapled or both.



No11 Pinlock

- For Wooden Posts
- Millions in use (NZ & Aust)
 - Price competitive with the best guaranteee
 - The original Pinlock insulator and where the name 'Pinlock' originated



LDPE

Pinlocks

All Beattie Pinlock insulators are made from low density plastic with high density pins (pins not guaranteed) or high strength white nylon pins. Extra pins available.



ALL THE ABOVE INSULATORS ARE GUARANTEED FOR 20 YEARS AGAINST LOSS OF COLOUR OR BRITTLNESS
"Our products are proven and have stood the test of time"

Waratah/Y Standard Insulators



No8 Permanent

- For Waratah or Y standard with high strength nylon insert.



LDPE



No9 Temporary

- For Waratah or Y Standard. Unique V slot for easy attach/detach of wire.



LDPE

Flat Standard Insulators



No5 Permanent

- For Flat Standard with high strength nylon insert.



LDPE



No6 Temporary

- For Flat Standard. Unique V slot for easy attach/detach of wire.



LDPE



No10a Pinlock

- for Waratah or Y standard (Extra pin for fastening, no nut & bolt).



- No7 Pinlock**
for flat Standard with nuts & bolts



No10 Pinlock

- for Waratah or Y Standard With nuts & bolts.

LDPE

LDPE

All the above Waratah & Flat standard insulators are supplied with specially treated mechanical galvanised nuts and bolts for fastening. Extra nuts and bolts available.



Gate Products



LOW DENSITY
POLYETHYLENE
LDPE



BG 44 Unbreakable Gate Handle

- Fully insulated handle.
- Unique replacement internal spring and hook.
- NEW Ring-lock hook available (BG44P).
- Plastic handle – Guaranteed for 10 years against loss of colour and brittleness.
- This low density polyethelene handle will not crack or break.

NEW!

BG 44S Spring-Less Unbreakable Gate Handle No more stretched springs!

- Newly designed 'one-piece' hook and bungi/tape/wire connection (no internal spring).
- One-piece hook can be used to replace internal springs (BG440S).
- Plastic handle with large hand shields - Guaranteed for 10 years against loss of colour and brittleness.
- Plastic handle will not crack or break.



BG 46 or BG 47 Spring Gate Kit

(Gate handle with all the above features)

- Available with both 5 metre (BG47) or 6.5 metre (BG46) highly visible white springs.
- Complete with anchor insulator and live connection.



BG 48 Tape Gate Kit

(Gate handle with all the above features)

- Highly visible white tape gate which extends up to 5 metres.
- Complete with anchor and live connection.



NEW!

BG 49 Bungy Gate Kit

(Gate handle with all the above features)

- Highly conductive white bungy which extends up to 6 metres.
- Complete with anchor (No.17 Pinlock) and live connection (BG20).
- Also available as 11 metre race gate kit (BG50).

BS90 Cut Out Switch

Positive contact with non-corrosive stainless steel connections. Simple to use. Heavy Duty design.

LOW DENSITY
POLYETHYLENE
LDPE



BG20 Insulated Pigtail Activator

Assembled with the No20 wooden post pigtail insulator, together with the BG17 line clamp



No20 Pigtail

for Wooden Posts.

Their design requires a high degree of rigidity, and are made from high density polyethelene (not guaranteed). Also can be used as an anchor for gate breaks.



BG18 Insulated Activator Plate

Assembled with the very strong & long lasting No18 Insulator. Together with special split bolted line clamp.

Now with stainless steel activator plate.



BG17 Line Clamp

Positive clamping to provide electrical connection for two or more wires, galvanised finish.



BG 42 Insulated Gate & Fence Handle

Current does not go right through.

Available on request from your local farm retailer
NZ wide retailers: sales@ruralrpm.co.nz & www.bits4farms.co.nz

Outriggers

Wire Outriggers

- BO8 with permanent No8 Insulator
- BO9 with Temporary No9 Insulator
- BO10 with Pinlock No10 Insulator
- BO1 wire only



Pigtail Outriggers

Manufactured from very strong galvanised spring steel with extra thick low density plastic pigtail which is resistant to cracking.

- BO55 (150 mm) Pigtail Side
- BO50 (300 mm) Pigtail Side
- BO50 (650mm) Double loop
- BO57 (250mm) Top, single pigtail



BO55



BO53



BO57



BO50

BO27 Gate Outrigger Pack

Can be mounted in various positions on gate. Pack contains: 2 insulators with mounting clamps, 2 line clamps & 1 tension spring.



BR60 Fence Reel

- Strong and durable
- Easy to use, complete with handle
- Holds up to 500 metres Powerwire or 200 metres Powertape
- Low density polyethelene bobbin – Guaranteed for 10 years against loss of colour and brittleness
- Bobbin will not crack or break



LDPE

NEW!

TRIPLE REEL STANDARDS NOW AVAILABLE



BR61 Amazing Unbreakable Bobbin

- Low density polyethelene bobbin - Guaranteed for 10 years against loss of colour and brittleness
- Bobbin will not crack or break
- Replaces some other brands of Bobbins



LDPE



Underground Cable

- No30 2.5mm x 25 metres
- No33 2.5mm x 50 metres
- No34 2.5mm x 100 metres
- No35 2.5mm x 250 metres

- Heavy duty, double insulated.
- Galvanised mild steel wire – easier to work with
- Low density polyethelene.

LDPE

Available on request from your local farm retailer
NZ wide retailers: sales@ruralrpm.co.nz & www.bits4farms.co.nz



No12 Rod Insulator

for 10mm (3/8") mild steel rod. In this insulator, the wire is held in place by a pin which doesn't come completely out.



No104 Porcelain Reel

For use as an end strainer or as concrete post insulator.



No105 Porcelain Strainer

For use as an end strainer insulator.

BO26 Concrete Post Insulator

Galvanised Screw with pigtail insulator. Available with 100mm screw (B)26100mm) or 125mm screw (BO26125mm).



BKG80 KG Prill Applicator

With metal liner & plunger. A versatile unit for applying in small quantities any free flowing: Prills, Granules, Fertilizer, Lime or Powder.



Sprong Electric Fence Gates

Available in 900mm (SP900) and 1200mm (SP1200) widths.

- Great for use in centre pivot fences with minimal re-fencing required.
- Ideal for motorbike gateways.
- Addition of bungi near ground, can be used in any livestock application.
- Virtually maintenance free operation.



EXCLUSIVE TO BEATTIE!

Tape, Wire and Bungi Products

Our Tape, Wire & Bungi is made in New Zealand to a very high standard producing high conductivity and highly visible product with a long life expectancy.



Powerwrapper (6 strand) 200/400m

Megawire (9 strand) 200/400m



Powertape (6 strand) 200/400m

Megatape (10 strand) 200/400m

25mm Horsetape (10 strand) 100m

40mm Horsetape (15 strand) 100m

Electric Bungi Rope (6 strand) 50m/400m

Why Low Density Polyethelene?

LDPE

Permanent and Temporary Insulators were the first Beattie Insulators. The Permanent insulator was originally made from a high density plastic. After a number of years, it became evident that the material in the Permanent insulator was losing its black colour and becoming brittle, while the Temporary insulator made from Low Density Polyethelene remained completely unchanged.

These have now been on fences for over 50 years without any sign of deterioration. The Permanent insulator has for the last 40 years been made from the same material.

Available on request from your local farm retailer
NZ wide retailers: sales@ruralrpm.co.nz & www.bits4farms.co.nz